

N65928.AR.000767
NTC ORLANDO
5090.3a

LETTER REGARDING REGULATORY REVIEW AND CONCURRENCE ON SITE SCREENING
FOR STUDY AREA 33 NTC ORLANDO FL
7/13/1998
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

09.01.33.0001

00332

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

July 13, 1998

Mr. Wayne Hansel
Code 18B7
Southern Division
Naval Facilities Engineering Command
P.O. Box 190010
North Charleston, South Carolina 29419-0068

RE: Final Environmental Site Screening Report, Study Area 33,
NTC Orlando

Dear Mr. Hansel:

I have completed the review of the above referenced document dated May 1998 (received May 19, 1998) and provide the following comment.

1. I concur that the property is transferable as contaminated soil has been removed and levels are now below residential Soil Cleanup Target Levels. However, the property should be classified as 4/Dark Green; not 1/White.

If I can be of any further assistance with this matter, please contact me at (904) 921-9989.

Sincerely,

John W. Mitchell
Remedial Project Manager

cc: Lt. Gary Whipple, NTC Orlando
Barbara Nwokike, Navy SouthDiv
Nancy Rodriguez, USEPA Region 4
Richard Allen, HLA, Jacksonville
Steve McCoy, Brown & Root, Oak Ridge
Robert Cohose, Bechtel, Knoxville
Bill Bostwick, FDEP Central District

TJB

JJC

ESN